



**Shandong Zhuoxing Chemical Co., Ltd.**  
**Zibo Zhuoxing Enterprises Co., Ltd.**

## **Additives of cement**

Additives of cement is a kind of high performance superplasticizer and a kind of cement dispersant used in cement concrete. Widely used in highways, Bridges, DAMS, tunnels, high-rise buildings and other projects. The product is green, not flammable, not explosive, can be safely used by train and car transport.

### **Product Advantages:**

Good compatibility with all kinds of cement, concrete slump maintenance performance is good, extend the construction time of concrete. Low dosage, high water reduction rate, shrinking. The early and late strength of concrete is greatly improved. This product has low chloride ion content and low alkali content, which is beneficial to the durability of concrete. The production process of this product is pollution-free, no formaldehyde, in line with ISO14000 international standards of environmental protection management, is a green environmental protection products.

### **Application Scope:**

Additives of cement is suitable for precast and cast-in-place concrete, reinforced concrete and prestressed concrete of high-speed railway,

Mobile/Wechat: 0086 13053363281, 0086 17865273019

Mail: sales@zhuoxingchem.com, sales02@zhuoxingchem.com

Web site: <https://www.sdzhuoxingpce.com>, [www.zhuoxingchem.com](http://www.zhuoxingchem.com)



**Shandong Zhuoxing Chemical Co., Ltd.**  
**Zibo Zhuoxing Enterprises Co., Ltd.**

passenger dedicated line, industrial and civil buildings, roads, Bridges, ports, docks, airports and other projects.

Additives of cement is especially suitable for the projects with long construction time and high requirement for concrete slump, such as nuclear power project.



**Usage:**

Content range: Generally speaking, the content is 0.5 ~ 1.5% of the weight of cementitious material when converted to 20% solid content, and the recommended content is 1.0%.

**Storage and Safety Matters**

1. It should be stored at temperature from 0 °C-40 °C. Keep out of sun,rain,impurity.Avoid evaporation of water.

Mobile/Wechat:0086 13053363281,0086 17865273019

Mail:sales@zhuoxingchem.com,sales02@zhuoxingchem.com

Web site:<https://www.sdzhuoxingpce.com>,[www.zhuoxingchem.com](http://www.zhuoxingchem.com)



**Shandong Zhuoxing Chemical Co., Ltd.**  
**Zibo Zhuoxing Enterprises Co., Ltd.**

2. Retest should be done when it beyond validity, and can be used when it's qualified.

3. It is non-toxic, non-polluting and non-edible. Avoid touching with eyes and skin allergy people. If touching, should clear with water and timely go to see doctor..

Mobile/Wechat: 0086 13053363281, 0086 17865273019

Mail: sales@zhuoxingchem.com, sales02@zhuoxingchem.com

Web site: <https://www.sdzhuoxingpce.com>, [www.zhuoxingchem.com](http://www.zhuoxingchem.com)