



Shandong Zhuoxing Chemical Co., Ltd.
Zibo Zhuoxing Enterprises Co., Ltd.

Mortar additives polycarboxylate superplasticizer

Chemistry:

Mortar additives polycarboxylate superplasticizer is polymerized by various macromolecule organic compounds. It belongs to polycarboxylate-based grafted copolymer superplasticizer, and is a new generation of environment friendly cement admixture of advanced world level. The PCE concrete admixture has reached the international advanced level on the aspects of technical performance index and cost performance. It can be widely used in water conservancy project, electrical power project, port project, railway project, bridge project, highway project and main structure cement casting of civil building.

Characteristic:

Good dispersability, high water reduction and excellent adaptability with kinds of cement. Mortar additives polycarboxylate superplasticizer is in line with the national standard GB8076-2008 for concrete superplasticizer index.

Fields of Application

High performance concrete, High flowability concrete, High durability concrete, Aluminate cement refractory concrete, Low cement refractory castable concrete, Steam curing concrete, Self-leveling concrete etc.

High strength mortar, Gypsum products, Self-leveling floor, Joint filler, Grouts.

Specification

Items	Specification					
	SPC-02 Liquid(water reducing type)	SPS-03 Liquid(slump retention type)	SPS-04 Liquid (Early strength & water reducing type)	SPS-05 Liquid(long slump retention type)	SPS-06 powder(Water reducing type)	SPS-08 Powder(Water reducing type)
Appearance	White or light yellow to yellow	White or light yellow to yellow	Colorless or light yellow to	Colorless to light yellow	White or light yellow powder	White powder

Mobile/Wechat: 0086 13053363281, 0086 17865273019

Mail: sales@zhuoxingchem.com, sales02@zhuoxingchem.com

Web site: <https://www.sdzhuoxingpce.com>, www.zhuoxingchem.com



Shandong Zhuoxing Chemical Co., Ltd.
Zibo Zhuoxing Enterprises Co., Ltd.

	brown viscous liquid	brown viscous liquid	brown viscous liquid	viscous liquid		
Density	1.10 ± 0.02 g/cm ³	1.10 ± 0.02 g/cm ³	/	1.10 ± 0.02 g/cm ³	500 ± 50 Kg/m ³	500 ± 50 Kg/m ³
pH (23℃)	5--7	5--7	6 ± 1	5--7	6.0 ± 1.0	6.0 ± 1.0
Solid Content%	50 ± 1.0	50 ± 1.0	50 ± 1	50 ± 1.0	97.0 ± 1.0	97.0 ± 1.0
Moisture content%	/	/	/	/	≤ 3.0	≤ 3.0
Water Reducing Ratio%	/	≥ 15	≥ 25	≥ 15	≥ 25	≥ 25
Cl- %	≤ 0.02	≤ 0.02	≤ 0.02	≤ 0.02	≤ 0.02	≤ 0.02
Alkali content%	≤ 0.3	≤ 0.3	≤ 0.3	/	≤ 0.3	≤ 0.3
Na ₂ SO ₄ %	/	/	/	≤ 0.3	/	/



Mobile/Wechat:0086 13053363281,0086 17865273019

Mail:sales@zhuoxingchem.com,sales02@zhuoxingchem.com

Web site:https://www.sdzhuoxingpce.com,www.zhuoxingchem.com



Shandong Zhuoxing Chemical Co., Ltd.
Zibo Zhuoxing Enterprises Co., Ltd.

Contact information:

Shelly Cui

Ella Yang

The seller: Zibo Zhuoxing Enterprises Co., Ltd.

Add: Room 1103, 11th Floor, Yunlong Plaza B, No.28 Huaguang Road,
Zhangdian District, Zibo City, Shandong Province, China 255000

Manufacturer: Shandong Zhuoxing Chemical Co., Ltd.

Add: Xinhai Industrial Zone, Wudi County, Binzhou City, Shandong
Province, China

Tel/Fax:0086 533 2284032

Mobile/ Wechat:0086 13053363281, 0086 18615126163,
0086 17865273019

Mail:sales@zhuoxingchem.com shellypce@hotmail.com
sales02@zhuoxingchem.com

Web site:www.zhuoxingchem.com

<http://sdzhuoxing.en.alibaba.com>

<https://www.sdzhuoxingpce.com>

Mobile/Wechat:0086 13053363281,0086 17865273019

Mail:sales@zhuoxingchem.com,sales02@zhuoxingchem.com

Web site:<https://www.sdzhuoxingpce.com>,www.zhuoxingchem.com