



Shandong Zhuoxing Chemical Co., Ltd.
Zibo Zhuoxing Enterprises Co., Ltd.

precast concrete products

Description

Precast concrete products (SPS-15) are new generation of Eco-friendly high performance polycarboxylate ether superplasticizer powder developed by our company with DD-909 (TPEG 2400) as main raw material.

Advantages/Characteristics:

- (1) Precast concrete products (SPS-15) powder with solid content 97% min. is especially optimized for plastification and water reduction of cementitious construction materials.
- (2) **Having a good thermostability to 300°C (three hundred degree celsius centigrade).**
- (3) Provide an excellent development of early strength and high strength.

Mobile/Wechat:0086 13053363281,0086 17865273019

Mail:sales@zhuoxingchem.com,sales02@zhuoxingchem.com

Web site:<https://www.sdzhuoxingpce.com>,www.zhuoxingchem.com



Shandong Zhuoxing Chemical Co., Ltd.
Zibo Zhuoxing Enterprises Co., Ltd.

(4) With a good dispersion, an excellent adaptability to different cements, and good water-reducing properties.

(5) High durability: reduce mortar water-cement ratio, improve durability, reduce shrinkage and variations, reduce post-curing mortar shrinkage cracking.

Usages and Cautions:

(1) A recommended dosage is 0.1%-0.7% by the weight of cementitious materials. Actual dosages should be determined by test.

(2) Precast concrete products (SPS-15) are forbidden to be mixed with naphthalene sulphonate.

(3) Compatibility test must be done when it is used together with other admixtures.

Package: Packed in 25kg plastic woven bags with PE inner liner, 16 mt with pallets loaded in one 20' GP, 27 mt with pallets loaded in 40' HQ by sea, 25.5 mt with pallets loaded in 40' HQ by train

Shelf time: 12 months.

Mobile/Wechat:0086 13053363281,0086 17865273019

Mail:sales@zhuoxingchem.com,sales02@zhuoxingchem.com

Web site:<https://www.sdzhuoxingpce.com>,www.zhuoxingchem.com



Shandong Zhuoxing Chemical Co., Ltd.
Zibo Zhuoxing Enterprises Co., Ltd.

Application:

1. It is used for gypsum based and cement based dry mix mortar.

It can also be used for oil well cementing operation.

2. It is especially for cementitious self-levelling underlayments (SLU), plasters, non-shrink grouts, self-levelling floor screeds, repair mortars, injection mortars, dry mix concrete, tiles adhesives and joint fillers.

Quality Specification

| Item | Unit | Standard |
|----------------------|-------------------|-----------------|
| Appearance | / | White powder |
| Density(23℃) | Kg/m ³ | 500 ± 50 |
| PH (23℃) | / | 6.0 ± 1.0 |
| Solid Content | % | 97.0 ± 1.0 |
| Moisture content | % | ≤ 3.0 |
| Water Reducing Ratio | % | ≥ 22 |

Mobile/Wechat:0086 13053363281,0086 17865273019

Mail:sales@zhuoxingchem.com,sales02@zhuoxingchem.com

Web site:<https://www.sdzhuoxingpce.com>,www.zhuoxingchem.com



Shandong Zhuoxing Chemical Co., Ltd.
Zibo Zhuoxing Enterprises Co., Ltd.

| | | |
|-----------------|---|--------|
| Cl ⁻ | % | ≤ 0.02 |
| Alkali content | % | ≤ 0.3 |

Contact information:

Shelly Cui

Ella Yang

The seller: Zibo Zhuoxing Enterprises Co., Ltd.

Add: Room 1103, 11th Floor, Yunlong Plaza B, No.28
Huaguang Road, Zhangdian District, Zibo City,
Shandong Province, China 255000

Manufacturer: Shandong Zhuoxing Chemical Co.,
Ltd.

Add: Xinhai Industrial Zone, Wudi County, Binzhou
City, Shandong Province, China

Tel/Fax:0086 533 2284032

Mobile/ Wechat:0086 13053363281, 0086
18615126163,

0086 17865273019

Mail:sales@zhuoxingchem.com shellypce@hotmail.com

Mobile/Wechat:0086 13053363281,0086 17865273019

Mail:sales@zhuoxingchem.com,sales02@zhuoxingchem.com

Web site:<https://www.sdzhuoxingpce.com>,www.zhuoxingchem.com



Shandong Zhuoxing Chemical Co., Ltd.
Zibo Zhuoxing Enterprises Co., Ltd.

sales02@zhuoxingchem.com

Web site:www.zhuoxingchem.com

<http://sdzhuoxing.en.alibaba.com>

<https://www.sdzhuoxingpce.com>

Mobile/Wechat:0086 13053363281,0086 17865273019

Mail:sales@zhuoxingchem.com,sales02@zhuoxingchem.com

Web site:<https://www.sdzhuoxingpce.com>,www.zhuoxingchem.com